



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

*End of plague in Glasgow.*

[Cablegrams.]

GLASGOW, November 7, 1900.

Last cases [plague] discharged no fresh case six weeks. Request authority to discontinue disinfection of Glasgow baggage.

THOMAS.

The SURGEON-GENERAL,  
U. S. Marine-Hospital Service.

*Disinfection of baggage at Glasgow discontinued.*

WASHINGTON, D. C., November 9, 1900.

Discontinue disinfection Glasgow baggage.

WHITE.

*For Surgeon-General.*

THOMAS, Glasgow.

GLASGOW, SCOTLAND, November 9, 1900.

Sailed, Glasgow: *Lakonia*, Baltimore; *Hibernian*, Portland.

THOMAS.

The SURGEON-GENERAL,  
U. S. Marine Hospital Service.

GLASGOW, November 10, 1900.

Sailed, Glasgow, to-day: *Brazilian*, Boston. Week ended to-day, no cases [of plague].

THOMAS.

The SURGEON-GENERAL,  
U. S. Marine-Hospital Service.

*Port of Glasgow declared free.*

[Cablegram.]

GLASGOW, November 15, 1900.

Port declared free from 14th.

THOMAS.

The SURGEON-GENERAL,  
U. S. Marine-Hospital Service.

*Foreign and insular statistical reports of countries and cities—Yearly and monthly.*

AUSTRIA—*Brunn*.—Month of June, 1900. Estimated population, 95,342. Total number of deaths, 214, including diphtheria, 1; enteric fever, 2; scarlet fever, 1; whooping cough, 1, and 63 from tuberculosis.

Month of July, 1900. Estimated population, 95,342. Total number of deaths, 269, including diphtheria, 1; enteric fever, 2; scarlet fever, 2; whooping cough, 4, and 64 from tuberculosis.

Month of September, 1900. Estimated population, 95,342. Total number of deaths, 206, including diphtheria, 3; enteric fever, 1; whooping cough, 3, and 45 from tuberculosis.

BRITISH COLUMBIA—*Vancouver*.—Month of October, 1900. Estimated population, 13,685. Total number of deaths, 24, including 1 from enteric fever.

CANADA.—*Hamilton*.—Month of October, 1900. Estimated population, 55,000. Total number of deaths, 66, including diphtheria, 1; enteric fever, 7; whooping cough, 1, and 4 from tuberculosis.

*Province of Ontario*.—Reports to the provincial board of health for the month of September, 1900, from 715 municipalities, having an aggregate estimated population of 2,270,150, show a total of 2,490 deaths, including diphtheria, 42; enteric fever, 58; measles, 2; scarlet fever, 3; whooping cough, 20, and 172 from tuberculosis.

FRANCE.—*Bordeaux*.—Month of September, 1900. Estimated population, 256,906. Total number of deaths, 353, including enteric fever, 4, and 2 from scarlet fever.

*Rouen*.—Month of September, 1900. Estimated population, 112,657. Total number of deaths, 242, including enteric fever, 3, and 43 from tuberculosis.

GREAT BRITAIN.—*England and Wales*.—The deaths registered in 33 great towns in England and Wales during the week ended October 27, 1900, correspond to an annual rate of 17.3 a thousand of the aggregate population, which is estimated at 11,610,296. The highest rate was recorded in Salford, viz, 29.0, and the lowest in Cardiff, viz, 11.8.

*London*.—One thousand four hundred and three deaths were registered during the week, including measles, 20; scarlet fever, 10; diphtheria, 39; whooping cough, 18; enteric fever, 22, and diarrhea and dysentery, 43. The deaths from all causes correspond to an annual rate of 15.9 a thousand. In Greater London 1,860 deaths were registered, corresponding to an annual rate of 14.6 a thousand of the population. In the "outer ring" the deaths included 18 from diphtheria, 7 from measles, 3 from scarlet fever, and 12 from whooping cough.

*Ireland*.—The average annual death rate represented by the deaths registered during the week ended October 27, 1900, in the 22 principal town districts of Ireland was 19.3 a thousand of the population, which is estimated at 1,062,188. The lowest rate was recorded in Tralee, viz, 5.6, and the highest in Londonderry, viz, 29.8, a thousand. In Dublin and suburbs 141 deaths were registered, including scarlet fever, 2; enteric fever, 4, and 2 from whooping cough.

*Scotland*.—The deaths registered in 8 principal towns during the week ended October 27, 1900, correspond to an annual rate of 19.6 a thousand of the population, which is estimated at 1,606,935. The lowest mortality was recorded in Leith, viz, 14.6, and the highest in Dundee, viz, 23.0 a thousand. The aggregate number of deaths registered from all causes was 607, including diphtheria, 6; measles, 4; scarlet fever, 8; smallpox, 2, and 18 from whooping cough.

JAMAICA.—*Kingston*.—Three weeks ended October 27, 1900. Estimated population, 46,542. Number of deaths not reported; no deaths from contagious diseases reported.

JAPAN.—*Nagasaki*.—Twenty days ended October 10, 1900. Estimated population, 131,000. Number of deaths not reported; 10 deaths from typhus fever reported.

QUEBEC.—*Sherbrooke*.—Month of October, 1900. Estimated population, 11,100. Total number of deaths, 19, including enteric fever, 1, and 2 from scarlet fever.